



Catalogue No. 26.



The McMullen  
Woven Wire  
Fence Co.

Chicago.



Above photograph shows our STEEL WIRE CABLE railroad fencing, with posts 33 feet apart.



**FENCING**, made of wire, woven in some form, has come to stay. Along railroads, on farms and about homes, it is recognized as a necessity. This admitted, the important questions are style of weave, quality and price.

After years of practical experience in the business, we have settled on the style of weave described herein, as having decided advantages over any other. The large wires or cables running horizontally may be any weight, quality or tensile strength desired. The cross or tie wires, running diagonally instead of upright, do not get bent or out of shape if the top wire or cable is temporarily pressed down. These tie wires cross the meshes twenty-four times to the rod; in other weaves of fencing, tie wires are only sixteen to the rod. We can furnish them in any desired size.

We are now producing this fencing in three distinct grades, any of which may be erected with posts two rods apart if desired.

Our **SPIRAL SPRING STEEL FENCING** has horizontal wires of the highest grade of spring steel, spirally curved to provide for expansion and contraction. Being of very great tensile strength and unusual elasticity, it readily adjusts itself to position after the most severe strain. The tie or cross wires are the heaviest ever used for this purpose. All the wire in it is double galvanized. For further information see pages 2 to 6.

Our **STEEL WIRE CABLE FENCING** has already made a reputation as a most superior article. It is made of a special grade of steel wire, thoroughly galvanized. The twist in the cable amply provides for expansion and contraction. More complete description of this fencing on pages 7 to 10.

Our new **CRIMPED STEEL WIRE FENCING** offers exceptional value for the money. It is made of first-class wire, thoroughly galvanized before weaving. The horizontal wires are similar in size to those of the Spiral Spring Steel Fencing of same height. They have a special crimp which preserves the "springy" quality and at the same time does not break the grain of the wire, thus retaining all its strength, while providing for expansion and contraction. The tie or cross wires are as large as are generally used for that purpose. For detailed description see pages 11 to 15.

Our new **Horse and Cattle Fencing** is worthy of special investigation. It costs about the same as a barbed wire fence when erected. See page 18.

We are the pioneer manufacturers of **HOG FENCING**. See pages 20, 21 and 22.

Our well known **Diamond Mesh Fencing** is fully described on pages 23, 24 and 25.

It is conceded that we manufacture fully one-third of all the Poultry Netting in the United States. In the light of this fact, comment as to its quality is unnecessary. See pages 28, 29 and 30.

Gates of superior quality have long been one of our specialties. See pages 19, 26 and 27.


Our **All-Steel Lawn and Cemetery Fencing** has been on the market for years, and is in general use. See pages 31 and 32.

Get discounts on all our goods from local dealers. In territory where there is no dealer, write to us.

**THE McMULLEN WOVEN WIRE FENCE CO., Chicago.**

# McMULLEN'S SPIRAL SPRING STEEL FENCING.

All the wires in this Fencing are double galvanized.



**14 Horizontal Wires, 73 inches high. List price, \$1.40 per rod.**

Top wire No. 7; intermediates, No. 11; bottom, No. 9—all highest grade of spring steel, of superior tensile strength, each being spirally curved to provide for expansion and contraction.

Very desirable for railroad shops, depot grounds, cemeteries, parks, game preserves, etc.


Cross or tie wires all No. 12 (note the large size), and TWENTY-FOUR to the rod.

Shipped in 20-rod rolls, unless otherwise specified. In ordering, state width and number of horizontal wires. Also say "Spiral Spring" if you want that grade.



# McMULLEN'S SPIRAL SPRING STEEL FENCING.

All the wires in this Fencing are double galvanized.



Above cut represents


12 Horizontal Wires, 61 inches high. List price, \$1.20 per rod.

We also make 12 wires, 55 inches high, same list price. See cut, page 8, for illustration.

Top, No. 7; intermediates, No. 11; bottom, No. 9—all highest grade spring steel, superior tensile strength, and spirally curved. An ideal fence.


Cross or tie wires all No. 12 (note the large size), and TWENTY-FOUR to the rod.

Shipped in 20-rod rolls unless otherwise desired. Specify "Spiral Spring" if ordering this grade; also give number of wires and height.

 Get discounts on all our goods from dealers. Where there is no dealer, write direct to us.

## McMULLEN'S SPIRAL SPRING STEEL FENCING.

All the wires in this Fencing are double galvanized.



11 Horizontal Wires, 58 inches high. List price, \$1.10 per rod.

The above is a standard railroad fence anywhere. Give it a trial.

Top, No. 7; intermediates, No. 11; bottom, No. 9—all highest grade spring steel, superior tensile strength, and spirally curved to provide for expansion and contraction.

Cross or tie wires all No. 12 (specially large), and TWENTY-FOUR to the rod.


Shipped in 20-rod rolls, unless otherwise specified. Always give the number of wires and width when ordering, and specify "Spiral Spring" if you desire it.

This weave of Fencing (SPIRAL, CABLE or CRIMPED) may be erected with posts any desired distance apart, not exceeding 33 feet.



# McMULLEN'S SPIRAL SPRING STEEL FENCING.

All the wires in this Fencing are double galvanized.



**10 Horizontal Wires, 55 inches high. List price, \$1.05 per rod.**

Many railway managers consider the above just the right height and proper spacing for a complete right of way fencing, and it is being adopted for that purpose.

Top wire, No. 7; intermediates, No. 11; bottom, No. 9—highest grade spring steel, superior tensile strength, and spirally curved to provide for expansion and contraction.

Cross or tie wires all No. 12 (unusually large), and TWENTY-FOUR to the rod.


**We also make this grade in 9 horizontal wires, 52 inches high. List price, \$1.00 per rod. Same sizes of wire described above.**

The 9 wire is just like the 10, except that it has one narrow space less at bottom. Either of them are a complete protection against all sized animals.

Put up in 20-rod rolls, unless other lengths are desired.

# McMULLEN'S SPIRAL SPRING STEEL FENCING.

All the wires in this Fencing are double galvanized.




## 8 Horizontal Wires, 54 inches high. List price, 90 cents per rod.

Top, No. 7; intermediates, No. 11; bottom, No. 9—all highest grade spring steel, superior tensile strength, and spirally curved.

Cross or tie wires all No. 12 (larger than usual), and TWENTY-FOUR to the rod.

Shipped in 20-rod rolls, unless otherwise specified. In ordering be careful to give number of wires and height, and say "Spiral Spring" if this grade is wanted.


 7 horizontal wires, same grade as above, 48 inches wide. List price, 80 cents per rod. See cut of 7 Wire Crimped Fencing, page 15, for spacing.

NOTE.—The 7 and 8 wire described above are not intended to fence against hogs or sheep, only horses and cattle. For that purpose they are perfection.

Any of the grades of this weave of Fencing (Spiral, Cable or Crimped) may be erected with posts 33 feet apart if desired,



## McMULLEN'S STEEL WIRE CABLE FENCING.



**14 Cable Fencing, 73 inches high. List price, \$1.25 per rod.**

Like our 14 Wire Spiral Spring, this is a very desirable fence for railroad shops, depot grounds, or right of way in towns and villages. Also cemeteries, public parks, pleasure grounds, game preserves, etc.


Top cable, four strands, No. 13 steel wire; all the other cables two strands, No. 13 steel wire—all of superior quality and thoroughly galvanized.

Cross or tie wires No. 13, TWENTY-FOUR to the rod, thoroughly galvanized. Distance between cables indicated on cut.

Shipped in 20-rod rolls, unless otherwise specified. In ordering, state width and number of cables.

**Get discounts on all our goods from dealers. If no dealer, write us.**

## McMULLEN'S STEEL WIRE CABLE FENCING.



### 12 Cable Fencing, 55 inches wide. List price, \$1.10 per rod.

This is a most desirable fence for inclosing vegetable gardens, orchards or farm yards, where a high hog-proof fence is required. It is thoroughly proof against stock of all kinds, except chickens.

Top cable, four strands, No. 13 steel wire; all the other cables, each two strands, No. 13 steel wire—all of superior quality and thoroughly galvanized.

Cross or tie wires No. 13, TWENTY-FOUR to the rod, thoroughly galvanized.

Distance between cables indicated by figures at end of cut.


**12 cable, 61 inches wide. List price, \$1.10 per rod. See page 3 for illustration of spacing.**

Shipped in 20-rod rolls, unless otherwise specified. In ordering, state width and number of cables.

Any of the grades of this weave of Fencing (Spiral, Cable or Crimped) may be erected with posts 33 feet apart if desired.



## McMULLEN'S STEEL WIRE CABLE FENCING.



### 9 Cable Fencing, 52 inches wide. List price, 90 cents per rod.

At the price, this is considered without a rival for general fence purposes. It meets every requirement on the farm, and railroad men claim that it makes a most satisfactory right-of-way fencing. No mistake will be made by using this wherever a good fence is required.

Top cable, four strands, No. 13 steel wire; all other cables, each two strands, No. 13 steel wire—all of superior quality and thoroughly galvanized.


Cross or tie wires all No. 13—TWENTY-FOUR to the rod, thoroughly galvanized.

Distances between cables indicated by figures at end of cut.


Shipped in 20-rod rolls, unless otherwise specified. In ordering, state width and number of cables.

**10 cable of above, 55 inches wide. List price, 95 cents per rod.**

**11 cable of above, 58 inches wide. List price, \$1.00 per rod.**

 See pages 4 and 5 for spacing of 11 and 10 cable.

## McMULLEN'S STEEL WIRE CABLE FENCING.



ABOVE CUT REPRESENTS

**7 Cable Fencing, 48 inches wide. List price, 70 cents per rod.**

**We also make 8 Cable, 54 inches wide. List price, 80 cents per rod.** It is like above, except having one more narrow mesh at bottom. See spacing of 8 Wire Spiral, page 6.

Both the 8 and 7 cable are intended for horse and cattle fencing, not for hogs and sheep.

Top cable, four strands, No. 13 steel wire; all the other cables, each two strands, No. 13 steel wire—all of superior quality and thoroughly galvanized.

Cross or tie wires, all No. 13, TWENTY-FOUR to the rod, thoroughly galvanized.


Distances between cables indicated by figures at end of cut.

Shipped in 20-rod rolls, unless otherwise specified. In ordering, state width and number of cables.

**Any of the grades of this weave of Fencing (Spiral, Cable or Crimped) may be erected with posts 33 feet apart if desired.**



## McMULLEN'S CRIMPED STEEL WIRE FENCING.




11 Horizontal Wires, 58 inches high. List price, 90 cents per rod.

Top wire, No. 7; intermediates, No. 11; bottom, No. 9—all having McMullen's special crimp to provide for expansion and contraction.

Tie or cross wires, No. 14, crossing the meshes TWENTY-FOUR times to the rod.

Shipped in 20-rod rolls, unless otherwise specified. In ordering this be careful to state "Crimped" fencing, and number of wires as well as height.


 We furnish this grade of fencing in wider widths, as follows:

14 horizontal wires, 73 inches high. List price, \$1.15 per rod. See page 2 for spacing.

12 horizontal wires, 61 inches high. List price, \$1.00 per rod. See page 3 for spacing.

12 horizontal wires, 55 inches high. List price, \$1.00 per rod. See page 8 for spacing.

## McMULLEN'S CRIMPED STEEL WIRE FENCING.



10 Horizontal Wires, 55 inches high. List price, 85 cents per rod.

Top wire, No. 7; intermediates, No. 11; bottom, No. 9—all having McMullen's special crimp to provide for expansion and contraction.


Tie or cross wires, No. 14, crossing the meshes TWENTY-FOUR times in each rod; other makes of fencing only have sixteen cross wires to the rod.

In ordering this grade of fencing be careful to specify "Crimped," and state height and number of wires. We send 20-rod rolls unless a different length is ordered.

NOTE.—This combination of 10 wires makes an exceedingly satisfactory height for right-of-way and first-class farm fence. It keeps out the pigs and sheep, as well as the horses and cows. In short, it "fills the bill."



## McMULLEN'S CRIMPED STEEL WIRE FENCING.



9 Horizontal Wires, 52 inches high. List price, 80 cents per rod.

Top wire, No. 7; intermediates, No. 11; bottom, No. 9. Expansion and contraction fully provided for by McMullen's special crimp.

Tie or cross wires No. 14—TWENTY-FOUR to the rod. (Make a note of this.)


Shipped in 20-rod rolls, unless otherwise desired. Always specify "Crimped" fencing when ordering this, and be careful to give height and number of wires.

NOTE.—The above combination of wires enables us to furnish a very desirable general purpose fencing at an extremely low price. It meets every requirement on the farm, and gives excellent satisfaction as a right-of-way fencing along railroads. It is well worth a trial.

---

**Watch for this fencing along railroads. They are using it.**

## McMULLEN'S CRIMPED STEEL WIRE FENCING.



**8 Horizontal Wires, 54 inches high. List price, 72 cents per rod.**

Top wire, No. 7; intermediates, No. 11; bottom, No. 9—all having McMullen's special crimp, which provides for expansion and contraction without injuring the grain of the wire.

Tie or cross wires No. 14, and crossing the meshes TWENTY-FOUR times to the rod, just eight times more than in other weaves of fencing.


This makes a superior horse and cattle fence, as its height (54 inches), added to usual space left at the ground, peculiarly adapts it to high jumpers.

Shipped in 20-rod rolls, unless otherwise specified. In ordering, be careful to state height and number of wires, and say "Crimped" if you want this grade.

**Any of the grades of this weave of Fencing (Spiral, Cable or Crimped) may be erected with posts 33 feet apart if desired.**



## McMULLEN'S CRIMPED STEEL WIRE FENCING.



7 Horizontal Wires, 48 inches high. List price, 64 cents per rod.

Top wire, No. 7; intermediates, No. 11; bottom, No. 9—all specially crimped to provide for expansion and contraction.

Tie or cross wires No. 14, and crossing the meshes TWENTY-FOUR times to the rod.

Shipped in 20-rod rolls; longer, if specified when ordering. Be careful to state height and number of wires, and say "Crimped" if this grade is desired.

This fencing is intended for horses and cattle, not sheep and hogs. By raising it four to six inches off the ground it is amply high for stock purposes. Quality and price considered together, it is a very cheap fencing.

---


Get prices on all our goods of your dealer. Where there is no dealer, write to us.

## McMULLEN'S FENCING.—Starting Post Anchored and Braced.

This cut illustrates the manner of anchoring the starting post in connection with the next post to it. These two posts should be about 12 feet apart. Use wire cable or large single wire for tying them together. The brace may be any substantial wood, 2 x 4 inches, and of proper length.




This is the end post. Attach wire to it in starting and go in direction indicated by hand.





## McMullen's Steel Wire Cable Fencing in Process of Erection.




NOTE.—The above cut is shown to illustrate this weave of fencing in process of erection. While it represents our CABLE fencing, it serves for the SPIRAL SPRING or CRIMPED fencing equally well.

The point of view is just at the end of one roll of fencing, which has been stretched, showing a fresh roll spliced on. By a careful study of the cut, it will be seen that the cables or wires of the fencing are fastened to the stretcher-bar A, by clamps B. The ratchet-pulleys C are fastened to stretcher-bar A, and operate chain D, which is attached to post E. The fresh roll F is attached to the other roll by splicers G. These splicers are furnished *free* with fencing. They may be dispensed with on all except the top cable or wire if a good telegraph splice is made.

In erecting this kind of fencing, special care should be taken to have the starting posts properly braced, as shown on opposite page; then, after making all the cables fast at starting point, adjust the stretcher so as to get an even pull on the various cables or wires, taking care not to over-stretch any one.

## McMULLEN'S SPECIAL HORSE AND CATTLE FENCING.

Top wire, No. 7; lower wires, No. 10; cross or tie wires, No. 13—TWENTY-TWO to the rod.



**5 Wires, 48 inches wide. List price, 58 cents per rod.**

Five heavy horizontal steel wires, crimped or curved, to provide for expansion and contraction, woven together as shown in cut, spaced as indicated.

**4 Wires, 36 inches wide. List price, 48 cents per rod.**

Four heavy horizontal wires same as the top four shown in above cut, woven together in exactly the same way.


Bear in mind they are *not* adapted to fencing for small stock, but only for horses and cattle. They should be raised off the ground to get necessary height.

They cost, when erected, about the same as barbed wire for same height, and are much superior in every way. Posts may be placed two rods apart with satisfactory results.

Shipped in 20-rod rolls, unless otherwise desired. Be sure to specify height and number of wires when ordering.




# McMULLEN'S ALL STEEL RAILROAD AND FARM GATES.



**No. 1. Size, 14 feet by 58 inches. List, \$12.00. Opening between posts, 14 feet 6 inches.**

Frame of steel tubing, braced with steel as indicated. Corners all malleable. Fabric heavy woven wire.




**No. 2. Size, 14 feet by 48 inches. List, \$9.00. Opening between posts, 14 feet 6 inches.**


Frame of T steel, braced with steel as indicated. Four cables running horizontally, equal distances apart.

Note fastenings at the corners, which not only support the gates but prevent lifting off the hinges.


# McMULLEN'S STEEL WIRE CABLE HOG FENCING.



7 Cable Hog Fencing, 24 inches wide. List price, 55 cents per rod.



6 Cable Hog Fencing, 21 inches wide. List price, 50 cents per rod.




5 Cable Hog Fencing, 18 inches wide. List price, 45 cents per rod.

NOTE.—All cables in above fences are two strands, No. 13 wire; tie wires No. 13, superior quality and thorough galvanizing. Spacing indicated in cuts. Rolls, 20 rods, unless otherwise specified. In ordering, be careful to state width and number of cables.




# McMULLEN'S CRIMPED HOG FENCING.


Horizontal wires "crimped," as shown in cuts, to allow for expansion and contraction from heat and cold



6 wires, 21 inches high. List, 40 cents per rod. Top and bottom wires, No. 10; all others, No. 12½.



6 wires, 24 inches high. List, 40 cents per rod. Top and bottom wires, No. 10; all others, No. 12½.



7 wires, 27 inches high. List, 46 cents per rod. Top and bottom wires, No. 10; all others, No. 12½.

Put up in 20-rod rolls, unless otherwise specified. Posts may be set 1 to 2 rods apart. In ordering this be careful to state number of wires and width, also "crimped" hog fencing.

# McMULLEN'S STEEL WIRE HOG FENCING.


**Diamond Mesh, with Three Strand Wire Rope Selvages.**

We are the pioneer manufacturers of this hog fencing, and have always made the best. We furnish two sizes of mesh, two widths of each, as shown below.

## HOG FENCING, 2x4 MESH.

Cut below represents 25 inches wide. We also make it 21 inches wide. Selvages, No. 15 wire; meshes, No. 16 wire. First-class wire, thoroughly galvanized before weaving.


25 inches wide.....per rod, \$0.52      21 inches wide.....per rod, \$0.48



## HOG FENCING, 3x6 MESH.

This cut represents 26 inches wide. We also make it 22 inches wide, Selvages, No. 14 wire; meshes, No. 15 wire. First-class wire, thoroughly galvanized before weaving.

26 inches wide.....per rod, \$0.52      22 inches wide.....per rod, \$0.48



Put up in 20-rod rolls, unless other lengths are specified. In ordering, be careful to state width and size of mesh, and say "Diamond Mesh Hog Fencing."



For this we recommend either our 3x6 or 2x4. See price lists of these on pages 24 and 25. One of our wood frame gates may be used instead of the steel frame, as a matter of economy. See gate price lists, pages 26 and 27. Bear in mind, we only furnish the woven wire fencing and gates. You can always procure the posts and top rail nearer home.

The above cut represents a fence about 3 feet high, but this style may be erected any height desired. We can furnish single or double, or large drive gates to match.

## TOOLS.

Ratchet Stretchers, each.....	\$0.90
Combined Cutters, Nippers and Staple Pullers, each.....	1.00


## GALVANIZED STAPLES.

1¼ and 1¾ inch, per pound.....	\$0.05
1 inch, per pound.....	.06
¾ “ “ .....	.08

23

# McMullen's Diamond Mesh Fencing, with 3-Strand Wire Rope Selvage.

MESH 2x4. SELVAGES No. 14, MESHES No. 15 WIRE.



Above cut represents 73 ins. wide. List price \$2.00 per rod.

We also make	67	"	"	"	1.85	"
	61	"	"	"	1.70	"
	55	"	"	"	1.55	"
	49	"	"	"	1.40	"
	43	"	"	"	1.25	"
	37	"	"	"	1.08	"
	31	"	"	"	.90	"
	25	"	"	"	.75	"
	19	"	"	"	.65	"


Put up in 20-rod rolls, 49 inches wide or less; wider than that, 10-rod rolls. Special lengths furnished, if desired.

This fencing is adapted to lawns, gardens and pet-stock yards; also trellises for vines, supports for cucumber and tomato vines, etc. Be careful in ordering to specify width and size of mesh.



# McMullen's Diamond Mesh Fencing, with 3-Strand Wire Rope Selvage.

MESH 3x6. SELVAGES AND MESHERS ALL No. 14 WIRE.



Above cut represents 77 ins. wide. List price, \$1.45 per rod.

We also make	71	"	"	"	1.35	"
	65	"	"	"	1.26	"
	59	"	"	"	1.18	"
	53	"	"	"	1.10	"
	47	"	"	"	1.02	"
	41	"	"	"	.94	"
	35	"	"	"	.86	"
	29	"	"	"	.76	"
	23	"	"	"	.70	"
	20	"	"	"	.65	"
	20	"	"	"	.60	"


Put up in 20-rod rolls, 53 inches wide or less ; wider than that, 10-rod rolls. Special lengths furnished if desired.

Our 3x6 mesh is used for gardens, lawns, cemeteries, sheep and hog fencing.

When ordering, be careful to give width and size of mesh.


# McMULLEN'S WOVEN WIRE GATES, WITH T STEEL FRAMES.

Ornamental Top, Hinges and Latches complete. Size of Mesh, same as Fencing ordered.



## LARGE SINGLE GATES.—PRICE LIST.


Width 8 feet	.....Height 36, 42, 48, 54 inches	..... Price \$ 9 00 each.
Width 10 feet	.....Height 42, 48, 54 inches	..... Price \$10 00 each.
Without Ornamental Top, 75 cents less.		



## SMALL GATES.

### PRICE LIST.

Width.	Height.	Price.
36 in.....	36, 42, 48, 54 in...	\$4.25 ea.
42 in.....	36, 42, 48, 54 in...	\$4.40 ea.
48 in.....	42, 48, 54 in...	\$4.50 ea.
Without Ornamental Top, 50 cents less.		



## LARGE DOUBLE GATES.—PRICE LIST.

Width 5 feet.....	.....Height 36, 42, 48, 54 inches.....	Price \$11.00 per pr.
Width 6 feet.....	.....Height 42, 48, 54 inches.....	Price \$12.00 per pr.
Without Ornamental Top, \$1.00 less per pair.		

## SPECIAL SIZED GATES.



We are always prepared to furnish special sizes of gates at very reasonable prices. When ordering, give width and height.

No freight paid or allowed anywhere on gates ordered alone.



# McMULLEN'S WOVEN WIRE GATES, WITH WOOD FRAMES.

Plain Tops, Hinges and Latches complete. Size of Mesh same as Fencing ordered.




## LARGE SINGLE GATES.—PRICE LIST.

Width 8 feet.....	Height 36, 42, 48, 54 inches.....	Price \$5.00 each.
Width 10 feet.....	Height 36, 42, 48, 54 inches.....	Price \$5.50 each.
Width 12 feet.....	Height 42, 48, 54 inches.....	Price \$6.00 each.
Ornamental Top, 75 cents extra.		

## SMALL GATES.

### PRICE LIST.

Width.	Height.	Price.
36 in..	36, 42, 48, 54 in.	\$3.00 ea.
42 in..	36, 42, 48, 54, in.	3.15 ea.
48 in..	42, 48, 54 in.	3.25 ea.
Ornamental Top, 50c. extra.		



## LARGE DOUBLE GATES.—PRICE LIST.

Width 5 feet.....	Height 36, 42, 48, 54 inches.....	Price \$6.50 per pr.
Width 6 feet.....	Height 42, 48, 54 inches.....	Price \$7.00 per pr.
Ornamental Tops \$1.00 extra per pr.		

## SPECIAL NOTE.


When ordering, give width and height,

No freight paid or allowed anywhere on gates ordered alone.

As we make both steel and wood frame gates; be sure to state which kind you want.

# McMullen's 2 x 2 Inch Hex. Poultry Netting, with 3-Strand Selvage.

SEE LIST BELOW.



This cut represents our 2x2 inch mesh, 48 inches high, as it appears when erected.

This cut shows exact size of 2x2 inch mesh, and selvage of No. 19 wire.



## Manufacturer's Standard List.

2	inch mesh, No. 14 Wire, List.....	9 1/2 c.	per square ft.
12	" " No. 15 " " .....	7 1/2 c.	" "
12	" " No. 16 " " .....	5 1/2 c.	" "
12	" " No. 17 " " .....	4 1/2 c.	" "
12	" " No. 18 " " .....	3 1/2 c.	" "
12	" " No. 19 " " .....	2 1/2 c.	" "
12	" " No. 20 " " .....	2 1/4 c.	" "

## STOCK WIDTHS.

12, 18, 24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84, 90, 96 inches.


Special widths made if required, without extra charge.

In ordering, be careful to specify width, size of mesh and number of wire. 150 lineal feet in each roll.

**McMullen's Poultry Netting is unquestionably the best.**



McMullen's  $1\frac{1}{2} \times 1\frac{1}{2}$  Inch Hex. Poultry Netting, with 3-Strand Selvage.  
SEE LIST BELOW.



This cut represents our  $1\frac{1}{2} \times 1\frac{1}{2}$  inch mesh, 48 inches high, as it appears when erected.

This cut shows exact size of  $1\frac{1}{2} \times 1\frac{1}{2}$  inch mesh and selvage of No. 19 wire.



**Manufacturer's Standard List.**

$1\frac{1}{2}$ inch mesh, No. 17 Wire, List.....	7	$\frac{1}{4}$ c.	per square ft.		
$1\frac{1}{2}$ " " No. 18 " " .....	4	$\frac{1}{2}$ c.	"	"	
$1\frac{1}{2}$ " " No. 19 " " .....	3	$\frac{1}{2}$ c.	"	"	
$1\frac{1}{2}$ " " No. 20 " " .....	3	c.	"	"	

**STOCK WIDTHS.**

12, 18, 24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84, 90, 96 inches.


Special widths made if required, without extra charge.

In ordering, be careful to specify width, size of mesh and number of wire. 150 lineal feet in each roll.

**McMullen's Poultry Netting heads the list.**

# McMullen's 1x1 inch Hex. Poultry Netting with 3-Strand Selvage.

SEE LIST BELOW.



This cut represents our 1x1 inch mesh, 48 inches high, as it appears when erected.

This cut shows exact size of 1x1 inch mesh and selvage of No. 19 wire.



## Manufacturer's Standard List.

1	inch mesh, No. 18 Wire, List.....	7½c.	per square ft.
1	" " No. 19 " " " " " " " "	6½c.	" "
1	" " No. 20 " " " " " " " "	5½c.	" "

## STOCK WIDTHS.

12, 18, 24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84, 90, 96 inches.


Special widths made if required, without extra charge.

In ordering, be careful to specify width, size of mesh and number of wire. 150 lineal feet in each roll.

**McMullen's Poultry Netting leads all others.**



## McMULLEN'S ALL STEEL LAWN FENCING.



Style No. 2. List price, f. o. b. Chicago.


36 inches high, or less, 90 cents per lineal foot.

From 37 inches high to 48 inches inclusive, \$1.00 per lineal foot.

Extra charge for posts where order is for less than 25 feet.

Both this and No. 3 style are made in panels with posts, gates, etc., all complete. They are very easy to erect, as posts and panels are fastened together with bolts. Each fence is made especially to order from diagram furnished us by the purchaser.

Note especially that the price includes everything. We give you a complete fence.



Style No. 3. List price, f. o. b. Chicago.

36 inches high, or less, 70 cents per lineal foot.


From 37 inches high to 48 inches inclusive, 80 cents per lineal foot.

Extra charge for posts where order is for less than 25 feet.


This style differs from No. 2 in that the posts are smaller and not quite so elaborate, and the cresting used is somewhat different.

No freight allowed on above kinds of fencing.

# McMULLEN'S ALL STEEL CEMETERY FENCING.



This represents our No. 2 style as a fencing for cemetery lots. It has heavy, ornamental corner posts, as shown, with intermediate and gate posts of square tubing. No extra charge for posts when the order is for twenty-five lineal feet or more. Prices same as given for No. 2 on opposite page.

 Always send a diagram when ordering this fencing, giving exact dimensions of lot, with location of gate, etc.



Malleable Crestings, length 12 inches,  
10 cents each.

Well adapted to ornamenting fencing erected with our netting, such as shown on page 23.



Above cut represents angle steel post, with brace, wing and foot piece for gate and corner post. Prices separate from fencing:

Over 5 feet, less than 7 feet, each .....	\$1 50
5 feet or less, each .....	1.00



Above cut represents T steel post, with wing and foot pieces. Prices separate from fencing:

Over 5 feet, less than 7 feet, each .....	\$1.00
5 feet or less, each .....	.75

These posts can be furnished in variety of sizes, adapted to various widths of fencing.





Digitized by ASSOCIATION FOR PRESERVATION TECHNOLOGY, [www.apti.org](http://www.apti.org) for the  
BUILDING TECHNOLOGY HERITAGE LIBRARY

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of Gerron S. Hite, West Texas Collection, Angelo State University, San Angelo, TX



